

Product Name: **NylaRide**

Synonyms: **Nylon 66/6 (impact modified)**

NYLARIDE

Composition / Information on Ingredients

Material	%	TLV	PEL
Nylon 6/6	40-80	N/A	N/A
Nylon 6	20-60	N/A	N/A
Inorganic Pigment	1% or less	N/A	N/A

Physical and Chemical Properties

Melting Point: 230-245°C
Vapor Pressure: N/A
Vapor Density: N/A
Solubility in Water: Not Soluble
PH: N/A
Specific Gravity: 1.10
% Volatile By Volume: N/A
Appearance and Odor: Granular, slight to no odor

Fire and Explosion Hazards

Flashpoint: >400
Auto Ignition Temperature: None available
Flammable Limits (STP): N/A

Extinguishing Media: Use water fog, foam, CO₂ or dry chemicals

Special Fire Fighting Protective Equipment: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear

Unusual Fire and Explosion Hazards: Molten plastics, dust can cause explosion hazards.

Stability and Reactivity

Stability: Stable

Incompatibility: Strong oxidizing agents, acids and bases
Hazardous Decomposition Products: CO₂, Carbon Monoxide, HCN, CO and NH₃.

Hazardous Polymerization: Will not occur